



# Submittal Data Sheet



Wilo TWU - 4" 80 GPM Stainless Steel Submersibles with Noryl Impellers

TWU 4.80								
		Project:						
		Engineer:						
		Contractor:						
		Submitted By:				Date:		
		Approved By:				Date:		
Tag #	Model #	Flow	Head	HP	Wire	Phase	Volt	RPM



Materials of Construction	
Discharge Head	304 SS
Check Valve Cone	304 SS
Check Valve retaining Ring	304 SS
Bearing Spider	Glass-Filled Polycarbonate
Diffuser	Glass-Filled Polycarbonate
Bowl	304 SS
Impeller	Noryl
Strainer	304 SS
Pump Shaft/Coupling	304 SS
Shaft Sleeve	Noryl
Pump Casing	304 SS
Cable Guard	304 SS
O-Ring	NBR
Bearing	Polyacetal

Technical Data	
Connection:	1~ 230V 3~ 230/460/575V
Fluid temperature:	37°-95°F (3°-35°C)
Max. Head	415 Ft.
Max. sand content:	50 ppm
Max. submersion depth:	1000 Ft.
Protection class:	IP 68

Approval Stamp Here

# Submittal Data Sheet


Wilo TWU - 4" 80 GPM Stainless Steel Submersibles with Noryl Impellers



## TWU 4.80" Series

### Weights and Dimensions

Motor Type	Model	Dia. (in)	HP	PH	Volts	Dimensions (in)					Weights (lbs)		
						A	B	C	D	E	Complete Unit	Pump End	Motor
3 Wire	TWU 4.80-07.30	3.9	3	1	230	39.7	18.3	21.4	2 NPT	3.9	50	10	40
	TWU 4.80-07.30	3.9	3	3	230	36.7	15.3	21.4			42	10	32
	TWU 4.80-07.30	3.9	3	3	460	36.7	15.3	21.4			42	10	32
	TWU 4.80-09.50	3.9	5	1	230	57.1	27.7	29.4			83	13	70
	TWU 4.80-09.50	3.9	5	3	230	51.1	21.7	29.4			68	13	55
	TWU 4.80-09.50	3.9	5	3	460	51.1	21.7	29.4			68	13	55
	TWU 4.80-11.75	3.9	7½	3	230	70.5	27.7	42.8			94	24	70
	TWU 4.80-11.75	3.9	7½	3	460	70.5	27.7	42.8			94	24	70



WILO USA LLC

Tel: (888) 945-6872 Web: [www.wilo-usa.com](http://www.wilo-usa.com)  
 Fax: (888) 945-6873 Email: [info@wilo-usa.com](mailto:info@wilo-usa.com)

WILO Canada Inc.

Tel: (866) 945-6236 Web: [www.wilo-canada.com](http://www.wilo-canada.com)  
 Fax: (403) 277-9456 Email: [info@wilo-canada.com](mailto:info@wilo-canada.com)

WILO Mexico

Tel: +52 55 5586 3209 Web: [www.wilo-mexico.com.mx](http://www.wilo-mexico.com.mx)  
 Fax: +52 1 55 5413 4165 Email: [groundwater@wilo-usa.com](mailto:groundwater@wilo-usa.com)